

How iBraces™ Are Made

Your doctor takes a very precise impression of your teeth and sends the impression, along with your prescription, to Lingualcare.

Models are scanned into the computer where your brackets are designed by one of our highly-skilled lab technicians.

We use new CAD/CAM technology to design and fabricate your 100% customized iBraces. Each bracket and wire is made specifically for you with your unique prescription built in.

Your customized iBraces are delivered to your doctor's office for your bonding appointment.



Frequently Asked Questions

How are iBraces different from regular lingual braces that have been around for awhile? iBraces have a much lower profile than ordinary lingual braces. In some cases iBraces are 70% smaller. That means that they have less of an impact on your speech and it should take less time for you to adapt to wearing them. In addition, iBraces are customized with your unique prescription built in, so they require fewer adjustments and you should finish treatment more quickly.

Who can wear iBraces?

iBraces are a good treatment option for most adults and adolescents who have all of their permanent teeth.

What do iBraces look like?



Ask your doctor if iBraces are the right choice for you.

For more information about iBraces, go to www.ibraces.com or call 1.800.401.3001

LingualCare
Hidden Braces for Teens and Adults.

©2002-2005 LingualCare, Inc.

LANCER
ORTHODONTICS
Distributed by Lancer Orthodontics

999.007

Hide Your Braces, Not Your Smile

iBraces™

invisible braces that make you smile

iBraces are Appropriate For Most Teens and Adults



Now You Can Smile With Confidence

iBraces are placed on the backside of your teeth, so they are completely hidden from view. No one will know that you are wearing braces unless you tell them. And iBraces are comfortable to wear. After a short adjustment period you will be able to eat and speak normally.

Customization Makes the Difference

iBraces are made one patient at a time, one tooth at a time. They are 100% customized to follow the contours of your teeth for comfort and performance. We build your unique prescription, determined by your doctor, into your iBraces so your teeth will move in the most efficient manner possible. Our wires are bent to a precise shape with robotic technology to ensure that you get the results you want.

Why Choose iBraces?

- Completely aesthetic, no one will know that you are wearing braces
- Minimal discomfort and speech interference
- 100% customized for the best results
- Customized wires that do not require adjustments mean fewer appointments and less discomfort throughout treatment
- You may finish treatment more quickly than with conventional braces
- You will see immediate results with iBraces
- Wearing iBraces on the back of your teeth prevents white spots caused by decalcification on the front of your teeth.

How Do iBraces Compare?

	iBraces	Invisalign	Clear Brackets
100% Customized	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Appropriate for most patients	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Invisible from the outside	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Efficient	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

What patients are saying about iBraces

"My smile has improved dramatically in the short period of time that I have been wearing my iBraces. I love the way my teeth look! My husband was so impressed that he decided to get them too."

Alicia, Age 28
Small Business Owner

"I really like my iBraces. After the first week or so I did not really have a problem talking or eating. I have had my braces on for about a year and I'm almost done. I have told all my friends about iBraces and now they want them too."

Alex, Age 14
Student

Adult Female Patient ▼

Situation: Class I, deep bite, upper rotations, lower anterior crowding, collapse of lower archform

Total Treatment Time: One year



Beginning of Treatment



End of Treatment One Year Later